CREW CAPABILITY EVALUATION FOR HELICOPTER EMERGENCY MEDICAL SERVICE OPERATIONS

Mr. Stephen Charlesworth
Aerostructures Technologies P/L
Level 14, 222 Kingsway,
South Melbourne VIC 3205
Ph +61 3 9686 8081
Fax +61 3 9696 8195

Email: stephen.charlesworth@aerostructures.com.au

Dr. Raden Kusumo
CSIRO Manufacturing & Infrastructure Technology
Commonwealth Scientific and Industrial Research Organisation
Corner Albert & Raglan Streets, Preston, VIC 3072, Australia
(Tel: +61-3-9662 7797 Fax: +61-3-9662 7851)
(e-mail Raden.Kusumo@csiro.au)

Dr. Arvind K. Sinha Mr. Simon Atyeo
Sir Lawrence Wackett Centre for Aerospace Design Technology
School of Aerospace, Mechanical and Manufacturing Engineering
Royal Melbourne Institute of Technology
GPO Box 2476V, Melbourne, Victoria, 3001, Australia.
(Tele: +61-3-9645 4536 Fax: +61-3-9645 4534)

(e-mail: arvind.sinha@rmit.edu.au)

Abstract

Helicopter emergency medical service (HEMS) operations are often life saving missions with reaction time critical to mission accomplishment. In the present HEMS environment crew knowledge experience govern the pre-mission analysis of the operations. Few tools are available for pre-mission analysis and to support crew decision making. This paper describes a revised methodology for evaluating crew capability for various mission scenarios. Such an evaluation provides more objective pre-mission analysis of HEMS operations. This paper also discusses the issues related to implementing a crew capability evaluation into a decision support system.

Introduction

Air-ambulance medical emergency services involve critical life saving decisions. These decisions are based on the knowledge and experience of the air-ambulance crew. The crew is responsible for conducting on the spot pre-mission analysis that includes the assessment of mission requirements, available capabilities and associated risks. The results of this analysis govern the crew's decision to proceed with a mission. (Sinha et al. 2000) [1]

Recent studies have highlighted the inherent risks in HEMS operations. The accident rate

of HEMS operations is significantly reduced from that experienced during the 1980s but remains high relative to corporate and commercial aviation accident rates [2, 3]. The report "Decisions for Life" (Anon, 2002) [4] concluded that there is a need for a decision support system to aid crew on air ambulance missions; particularly helicopters. Sinha et al. (2001) [5] developed a framework for pre-mission success evaluation of helicopter emergency medical service operations, to support crew decision. The framework includes the following:

- A statement of mission requirements, comprising operational and environmental needs and crew and technical thresholds:
- A statement of available mission capabilities as they relate to each of the mission requirements; and
- An assessment of mission feasibility.

This framework adopted by Sinha et al (2001) [6] is based upon an "input-process-output" configuration (Figure 1). The approach considers the operational and environmental needs and the human and technology thresholds as the key "inputs". The "process" identifies the defined and derived mission capabilities; and the "output" is a measure of mission accomplishment feasibility. The governing factors relating to mission feasibility considered for analysis are as follows: (a) operational requirement; (b)

environmental condition; (c) human capacity; (d) technological state; (e) crew competence; and (f) machine performance.

Inputs		Attributes (Mission Requirements)	Outputs		
Threshold	Human	 Knowledge base Experience Base Physical Fitness Mental Robustness Endurance Stress Level 	Human Capabilities		Mission Accomplishment Feasibility
	Technology	SpeedRate of ClimbEnduranceHover	Technology Capabilities	Defined	
Needs	Operational	 Search & Rescue First Aid Resuscitation & Recovery Transfer 		Capabilities (Required)	
	Environmental	 Built-up Area Mountains Jungle Desert Sea State Weather Time 	Required Capabilities		
Database	Crew	 Knowledge base Experience Base Physical Fitness Mental Robustness Endurance Stress Level 	Crew Capabilities	Derived Capabilities (Available)	
	Technology	SpeedRate of ClimbEnduranceHover	Machine Capabilities	, ,	

Figure 1. Inputs, attributes and outputs of proposed pre-mission analysis decision support system. Sinha et al (2001) [4]

With time being critical in helicopter emergency medical operations, Sinha et al. (2002) [6] identified a need to automate the evaluating methodologies and to integrate these into a decision support system. Identified was a module that automated the analysis of the crew factors that contribute to mission accomplishment.

Past studies on human factors have focused on issues such as the behavior, physiological and psychological state of crew (Weiner and Nagel; 1988) [7]; but none have addressed

the crew factors that contribute to mission accomplishment. Today these issues are critical in military and medical missions. This paper discusses a methodology to evaluate the crew capability required for helicopter emergency medical service operations.

Revised Methodology

Air-ambulance medical emergency operations involve critical life-saving decisions. Pre mission analysis and in-flight changes to mission plans are largely based

on the knowledge and experience of the flight crew and medical staff. No computing tools currently exist to aid in this analysis. The present operating procedure for premission analysis is subjective and open to decisions being influenced by emotions and the ever-present urgency of helicopter emergency medical operations.

The study of crew capabilities is challenging. Crews are eligible and qualified for service with helicopter emergency medical operators based on successful completion of approved training courses. Local air and medical authorities define minimum regulatory competency standards and experience levels for the crew to be operational. Once in service, the crew gain experience and enhance knowledge through internal training programs and assigned operational tasks. These govern the crew capabilities and hence capabilities are either enhanced or remain dormant depending on the active service of the crew.

In addition to knowledge and experience there are other factors that contribute to the crew's capabilities. These include physical fitness and mental robustness, physical endurance and capacity to cope with stress. Each of these factors contribute to the crew's capability and when integrated can provide the overall capability. The crew capability evaluation considers the factors listed below. These factors are a key contributor to mission accomplishment.

- Knowledge: Local air and medical authorities regulate training requirements and curriculum. Crew must meet requirements in order to be eligible to operate:
- Experience: Minimum crew experience levels are set by aviation regulatory authorities. Experience is gained thru formal and on the job training;
- <u>Physical Fitness:</u> Annual physical health checks ensure that crew members meet required levels of physical fitness for missions;
- Mental Robustness: Represents the crew's capacity to remain stable, concentrate and think clearly while on the mission. Excessive stress greatly reduces this capability;
- Endurance: The capacity of the crew to concentrate and perform for an extended time. Fatigue greatly influences endurance; and
- Stress Level: Stress can lead to anxiety and degradation in crew performance.

The above factors and their sub-factors need to be investigated for their inter and intra relationships in relation to how they impact mission accomplishment. To quantify the relationships a binary scale is applied to indicate whether or not a relationship exists between a pair of crew factors/sub-factors.

To illustrate the quantification process; the crew factors are considered accomplishment of a search and rescue mission of helicopter emergency medical operations. The value '1' is assigned to the pair of crew factor being considered, when an inter-relationship exists, or alternatively the factors are interdependent for mission accomplishment. The value '0' is assigned where no inter-relationship exists. The result of the quantification process is presented in Table 1. The process needs to be repeated separately for all the factors relevant to other medical missions such as first resuscitation and recovery or patient transfer.

Table 1. Binary quantification process of crew capability factors in a search and rescue mission

CF1	0	1	0	1	0	1
CF2	1	0	0	1	1	1
CF3	0	0	0	1	1	0
CF4	1	1	1	0	1	1
CF5	0	1	1	1	0	1
CF6	1	1	0	1	1	0
	CF1	CF2	CF3	CF4	CF5	CF6

Where:

CF1 :Knowledge; CF2 :Experience; CF3 :Physical fitness; CF4 :Mental

robustness;

CF5 :Endurance; and CF6 :Stress level

Where relationship exists further а classification can be made to indicate its importance relative in mission accomplishment, which may be an indirect measure of the importance of the attribute being analysed. Originally a scale of '1 to 3' was selected to indicate the relative importance of the relationship considered.

Use of this scale however resulted in many relationships having the same classification. The lack of differentiation prohibited effective ranking of the relationships, thereby limiting the usefulness of the process for pre-mission analysis of HEMS. For some types of mission the three-tier scale resulted in up to three of the six attribute relationships sharing the same ranking. Consequently a five level classification system has been developed and is summarised in Table 2

Table 2. Classification of crew capability interdependence

Significance	Assigned Value
The relationship has no influence on the outcome of mission – mission continues.	1
The relationship is only slightly beneficial to mission accomplishment	2
The relationship aids mission accomplishment.	3
The relationship significantly contributes to mission accomplishment	4
Mission cannot be accomplished without the relationship (mission aborted).	5

The degree of interdependency of the crew factors is then aggregated and normalised relative to its contribution to mission accomplishment (%). The aggregated result of each crew factor denotes a "mission accomplishment value". The mission accomplishment value is then normalised to evaluate the relative degree of the crew capability factor that is required for mission accomplishment. The relative quantification of required crew capability factors in a search and rescue mission of helicopter emergency operations is presented in Table 3.


Having developed a methodology to quantify the crew factors required for helicopter medical emergency operations, a framework can be developed. The framework comprises of steps to evaluate and quantify the crew capabilities. This is presented in Figure 2.

Table 3. Relative quantification of the required crew capability factors in a search and rescue mission

CF1	0	5	0	1	0	3
CF2	5	0	0	4	3	4
	0	0	0	2	4	0
	1	4	2	0	4	4
	0	3	4	4	0	3
	3	4	0	4	3	0

Where:

MV :Mission accomplishment value; and NV :Normalised mission accomplishment value;



CF1 to 'n' : Crew factors CSF 1a to 1'm' : Crew sub-factors

Figure 2. Framework for relative quantification of the required crew capability factors

Results and discussions

A methodology has been developed that transforms the qualitative crew capability requirements into a quantitative measure for helicopter medical emergency operations. A framework has also been developed to identify the processes within the methodology.

In search and rescue missions, the crew factors of experience and mental robustness contribute the maximum towards mission accomplishment, and together account for 44% of the capability requirements. These are followed by endurance and stress with a combined ranking of 36%.

The quantification process outlined in this paper uses a series of matrices on a binary and tertiary scale, to quantify crew factors in terms of their interdependency for mission accomplishment. The assignment of an interdependence value is subjective and governed by the operational experience of the assigner. To minimise the subjectivity it is proposed that the assignment of values is done in consultation with a set of highly experienced crew and the results averaged for further analysis. If this process appears to be contentious then survey questions may be developed to capture input from a broad base of experienced HEMS aircrew. Initially it is planned to work exclusively with personnel from Air Ambulance Victoria.

Only preliminary identification of crew sub factors has been completed. More subfactors need to be identified and the process used to analyse the interdependence of a pair of factors needs to be repeated for the sub-factors. A methodology is required to integrate the results of interdependency analysis of the sub-factors.

In terms of the system framework developed by Sinha et al. (2001) [3] this research presents a methodology that addresses defining the required crew capabilities for helicopter emergency medical service operations. However in order to integrate a crew capability module into the proposed decision support system, research is required to develop effective methodologies that enable the crew members capabilities in each of the identified factors to be readily measured.

Concluding remarks

A methodology has been developed to evaluate the crew capability requirements for pre-mission analysis of helicopter emergency medical operations.

Close cooperation with experienced HEMS operators such as Air Ambulance Victoria is essential to refine the quantification process and verify the results.

Research is needed to develop effective methodologies that will enable the crew member's capabilities in each of the identified factors to be readily measured. This will allow crew capabilities to be assessed against those required and permit the development of a human threshold module for integration into a pre-mission analysis decision support system.

If successful this process has potential for application in other aviation operations for identifying risks directly associated with specific types of flights or mission. This will contribute significantly in enhancing aviation safety.

References

 Sinha, A. K., Bil, C., Scott, M., Hogan, P. & Laycock, K., 2000 'Mission Success Module for Helicopter Medical Emergency Operations'. Proceedings of the International Society of Aeromedical Services and Flight Nurses Annual Scientific Conference, 21-23 July 2000, Melbourne.

- Holland, J. and Cooksley, D.G., Safety of Helicopter Aeromedical Transport in Australia: a Retrospective Study, Medical Journal of Australia, 2005. Vol 182 (1)
- 3. Flight Safety Foundation News, Corporate Aviation Accident Rate Drops to Record Low Despite Increased Flight Activity, 29 April, 2004
- 4. Anon., 2002., 'Decisions for Life' Aircraft & Aerospace Asia Pacific. Yaffa Publishing Group, NSW, Australia, July 2002, pp 55-57.
- Sinha, A.K., Scott, M.L., Kusumo,_R., Hogan. P., Laycock, K. & Schrage, D.P. 2001, 'A System Framework for Pre-Mission Success Evaluation of Helicopter Emergency Medical Service Operations', 9th Australian International Aerospace Congress, 5-8 March, Canberra, A.C.T.
- 6. Sinha, A.K., Kusumo, R., Hogan, P. & Laycock, L. 2002, 'Automated System Framework for Pre-Mission Success of Medical Emergency Evaluation Helicopters Operations - Defined Mission 23rd Capability Sub-Module,' International Congress of the Aeronautical Sciences, 8-13 September, Toronto, Canada, pp. 7104.1 – 7104.7.
- 7. Weiner, E. L., & Nagel, D. C., 1988., Human Factors in Aviation, Academic Press Inc, San Diego